




GUTTER-CAT

CROSS GUTTER SYSTEM



"SIMPLE IS GOOD"

The GUTTER-CAT™ Cross Gutter System collects manure from alley scrapers or tractor scraped barns and transports it to a reception pit or storage with a minimum of moving parts. The GUTTER-CAT System is very power-efficient, using only a 1 HP drive unit to transport large volumes of manure slurry, including sand-bedded manure.

SCRAPER BOX FOR MAXIMUM CAPACITY

The heavy duty scraper box pushes manure along the gutter as it moves forward. The rear wall of the scraper box opens while returning to the start position.

Standard model for 36" wide gutter, other widths available.


Bolt-on wear shoes make it easy to keep equipment running like new.

Built for the tough demands of sand bedding, all wear parts on the Gutter-Cat scraper box are made of long-lasting HARDOX-450™ abrasion-resistant steel.




V-GUTTER FOR TOUGH CONDITIONS

Jamesway's V-Gutter is self-adjusting to follow imperfect walls or adapt to frozen accumulation.



JAMESWAY OFFERS A WIDE RANGE OF ACCESSORIES TO FIT EVERY INSTALLATION

Multi-barn dairy complexes can use a single system to service several barns for the ultimate in low cost and easy upkeep.



GUTTER-CAT™ CABLE SYSTEM

Best choice for
long gutters





The proven ALLEY-CAT XD™ Drive Unit easily handles long systems with multiple scraper boxes, giving it the capacity to clean gutters up to 600 feet long. Drive Units feature extra-thick drum walls, hardened guide shoes and heavy-duty gearbox drives to stand up to the wear & tear of sand bedding.


Drive unit is mounted over gutter
(Recommend 25 ft minimum from wheels).

GUTTER-CAT™ CHAIN SYSTEM

Flexible layout choices



CHANNEL-MOUNTED
DRIVE UNIT



OFFSET DRIVE UNIT
AGAINST WALL

The compact DURA-CHAIN Drive Unit can be located almost anywhere, making it easy to accommodate your barn layout. Choose End-Mounted, Channel-Mounted or Offset-Mounted.

END-MOUNTED DRIVE UNIT IN MANURE ROOM



GUTTER-CAT™ CONTROLS

GUTTER-CAT SYSTEMS FEATURE “SWITCHLESS” SWITCHING

Manure is tough on mechanical reversing switches, so Jamesway eliminated them entirely. Sensors mounted “high & dry” behind the drive pulley count the revolutions to keep track of the scraper box position in the gutter with incredible accuracy. Adjusting the start and stop positions is as easy as pushing a button on the control panel.

SCRAPER-BOSS MASTER


Well known as the ultimate alley scraper control panel, this is also an excellent choice for use in Gutter-Cat systems. The Master control can send signals to start manure pumps, agitators or other equipment when the Gutter-Cat system is discharging manure, and the speed of discharge can be controlled to prevent overflowing the pump. The Touch-screen control is exceptionally easy to use.

SCRAPER-BOSS SLAVE G-C

When a SCRAPER-BOSS Master control is installed for the alley scrapers in a barn, it can also run a “slave” control for the Gutter-Cat system. Using the “brains” of the Master control to operate both systems means the Slave control saves you money.

SCRAPER-BOSS JUNIOR

All the basic functions in a simple and economical control. The SCRAPER-BOSS Junior control operates in manual mode, automatic schedule or one-stroke mode and includes easy “push-button” stroke adjustment. The SCRAPER-BOSS Junior is extremely reliable and easy to operate.



**SCRAPER
SYSTEM**



**SCRAPER-BOSS
MASTER**



**SCRAPER-BOSS
SLAVE G-C**



**CROSS GUTTER
SYSTEM**



**SCRAPER-BOSS
JUNIOR**



DEALER

JAMESWAY FARM EQUIPMENT, INC.

12 Route 249 St. Francois-Xavier
(Quebec) JOB 2V0
Tele: 819-845-7824
Fax: 819-845-5153

USA WAREHOUSE

15383 State Hwy.
131 Tomah, WI 54660

JAMESWAY
JameswayFarmEq.com